

BAKA Protect 2010 2D FD

with 2D adjustment for rebated timber doors



Product features

- for rebated timber entrance doors
- concealed receiver in the door leaf
- for doors with overlap seals
- 2D adjustment (side +/- 3.0 mm, compression +/- 3.0 mm)
- minimized routing work
- maintenance-free slide bearings

Technical data

Property	Value
Load capacity	120.0 kg
Knuckle length	120.0 mm
Knuckle Diameter	20.0 mm
Pin diameter	10.0 mm
Cutter diameter	20.0 mm
Collar ring diameter	30.0 mm

Notes

The load capacity mentioned above refers to the use of 2 hinges per door leaf (1 x 2 m), for detailed

Quality marks



CE certification



IFT certification

Classification code

EN 1935 / EAD

2	7	3	0	1	— ¹	0	10 ²
---	---	---	---	---	----------------	---	-----------------

¹ depending on the finish

² test cycles in continuous operation with 120 kg

BAKA - BAKA Protect 2010 2D FD

information please look at the chapter [technical information](#).

Also available with security pin (MSTS).

Installation tools

Drilling jig BAKA Protect
2000 frame

Ball catch location routing
jig BAKA Protect 2000
door

Ball catch location routing
jig BAKA Protect 2000
frame

Routing jig BAKA Protect
2000 door

Template BAKA Protect
2000 door 20/30

Combinations




Decorative sleeve no. 11

Function range

soundproof

Item versions

Finish	Satin Stainless Steel (SW 040)
VPE	pack of 10
DIN	DIN right and left hand
ITEM NO.	5 080814 0 04006
ITEM NO. (SAP)	500001428
EAN	4015471104665
Finish	RAL 9016 Traffic



BAKA - BAKA Protect 2010 2D FD

VPE	White (SW 070)
DIN	pack of 10
ITEM NO.	DIN right and left hand
ITEM NO. (SAP)	5 080814 0 07006
EAN	500001429
	4015471104641
Finish	RAL 9005 Matt Black (SW 107)
VPE	pack of 10
DIN	DIN right and left hand
ITEM NO.	5 080814 0 10706
ITEM NO. (SAP)	500001432
EAN	4015471139490
Finish	Topzinc (SW 110)
VPE	pack of 10
DIN	DIN right and left hand
ITEM NO.	5 080814 0 11006
ITEM NO. (SAP)	500001433
EAN	4015471104634

